New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

10mg Seltzer - Blood Orange

Sample ID: 2609NBL1601.4458
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 09/15/2026
Completed: 09/24/2026
Expires: 09/24/2027
External Lot ID: BLO100127
Batch#:

Client
TCF Manufacturing
Lic. # 840842
12011 Starcrest Dr San Antonio, TX 78247
(830) 743-3845 sattler@tcfmktg.com

Summary

Test	Date Tested	Result
Cannabinoids	09/23/2026	Complete
Foreign Matter	09/15/2026	Not Completed

Cannabinoids

Complete

3.768 mg/container Total Δ9-THC	0.001% Δ9-THC	ND Total CBD	3.768 mg/container Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/container	mg/container	mg/container	mg/serving	%
(6aR,9R)-d10-THC	0.9169	1.375	ND	ND	ND
9R-HHC	0.9169	1.375	ND	ND	ND
(6aR,9S)-d10-THC	0.9169	1.375	ND	ND	ND
9S-HHC	0.9169	1.375	ND	ND	ND
CBC	0.9169	1.375	ND	ND	ND
CBCa	0.9169	1.375	ND	ND	ND
CBD	0.9169	1.375	ND	ND	ND
CBDa	0.9169	1.375	ND	ND	ND
CBDV	0.9169	1.375	ND	ND	ND
CBDVa	0.9169	1.375	ND	ND	ND
CBG	0.9169	1.375	ND	ND	ND
CBGa	0.9169	1.375	ND	ND	ND
CBN	0.9169	1.375	ND	ND	ND
CBNa	0.9169	1.375	ND	ND	ND
Δ8-THC	0.9169	1.375	ND	ND	ND
Δ9-THC	0.9169	1.375	3.768	1.88384	0.001
THCa	0.9169	1.375	ND	ND	ND
THCp	0.9169	1.375	ND	ND	ND
THCV	0.9169	1.375	ND	ND	ND
THCVa	0.9169	1.375	ND	ND	ND
Total THC			**3.768**	**1.88384**	**0.001**
Total CBD			**ND**	**ND**	**ND**
Total			**3.768**	**1.88384**	**0.001**

Date Tested: 09/23/2026
Density: 1 mL = 1.036 g; Container Mass: 366.744 g; 2 servings per container; 3.8 mg THC per container
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
09/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.