



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Mixed Fruit 2:1:3

Sample ID: 2602NBL0244.0706

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Received: 01/22/2026

Completed: 01/30/2026

Expires: 01/30/2027

External Lot ID:

Batch#: c2601901



Summary

Test	Date Tested	Result
Cannabinoids	01/23/2026	Complete
Residual Solvents	01/28/2026	Complete
Microbials	01/27/2026	Complete
Mycotoxins	01/29/2026	Complete
Pesticides	01/29/2026	Complete
Heavy Metals	01/28/2026	Complete
Foreign Matter	01/22/2026	Not Detected

Cannabinoids

Complete

9.104 mg/unit

Total THC

0.1829%

Δ^9 -THC

4.753 mg/unit

Total CBD

28.109 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.2294	0.344	ND	ND	ND
9R-HHC	0.2294	0.344	ND	ND	ND
(6aR,9S)-d10-THC	0.2294	0.344	ND	ND	ND
9S-HHC	0.2294	0.344	ND	ND	ND
CBC	0.2294	0.344	ND	ND	ND
CBCa	0.2294	0.344	ND	ND	ND
CBD	0.2294	0.344	4.753	0.95469	0.095
CBDa	0.2294	0.344	ND	ND	ND
CBDV	0.2294	0.344	ND	ND	ND
CBDVa	0.2294	0.344	ND	ND	ND
CBG	0.2294	0.344	14.252	2.86238	0.286
CBGa	0.2294	0.344	ND	ND	ND
CBN	0.2294	0.344	ND	ND	ND
CBNa	0.2294	0.344	ND	ND	ND
Δ^8 -THC	0.2294	0.344	ND	ND	ND
Δ^9 -THC	0.2294	0.344	9.104	1.82851	0.183
THCa	0.2294	0.344	ND	ND	ND
THCp	0.2294	0.344	ND	ND	ND
THCV	0.2294	0.344	ND	ND	ND
THCVa	0.2294	0.344	ND	ND	ND
Total THC			9.104	1.82851	0.183
Total CBD			4.753	0.95469	0.095
Total			28.109	5.64558	0.565

Date Tested: 01/23/2026

Unit Mass: 4.979 g, 1 Unit = 1 Gummy

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$

White label COA created from: 2601NBL0150.0445



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



Mixed Fruit 2:1:3

Sample ID: 2602NBL0244.0706

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Received: 01/22/2026

Completed: 01/30/2026

Expires: 01/30/2027

External Lot ID:

Batch#: c2601901

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Captan	0.696	0.209		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Naled	0.249	0.076		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Paclobutrazol	0.099	0.030		ND	Tested
Chlorfenapyr	0.080	0.030		ND	Tested	Methyl Parathion	0.080	0.030		ND	Tested
Chloromequat	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.080	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cyfluthrin	0.497	0.149		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Cypermethrin	0.497	0.149		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Daminozide	0.994	0.298		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Pyrethrins	0.497	0.149		ND	Tested
Dichlorvos	0.050	0.016		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etoazole	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Flonicamid	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested
Fludioxonil	0.099	0.030		ND	Tested						

Date Tested: 01/29/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Mixed Fruit 2:1:3

Sample ID: 2602NBL0244.0706

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Received: 01/22/2026

Completed: 01/30/2026

Expires: 01/30/2027

External Lot ID:

Batch#: c2601901

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	19	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	29	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/27/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 01/29/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.091		ND	Tested
Cadmium	0.046	0.091		ND	Tested
Lead	0.046	0.091		ND	Tested
Mercury	0.046	0.091		ND	Tested
Palladium	0.046	0.228		ND	Tested
Selenium	0.046	0.091		ND	Tested

Date Tested: 01/28/2026

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
<http://newbloomlabs.com>
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Mixed Fruit 2:1:3

Sample ID: 2602NBL0244.0706

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Received: 01/22/2026

Completed: 01/30/2026

Expires: 01/30/2027

External Lot ID:

Batch#: c2601901

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		ND	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested

Date Tested: 01/28/2026

Testing Method: HS-GC/MS, CON-P-8000



Ashley N Phillips

Ashley Phillips
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000