



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

WNC Cherry 3:1

Sample ID: 2605NBL0824.2255

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 04/03/2026

Completed: 04/16/2026

Expires: 04/16/2027

External Lot ID:

Batch#: g26091101



Summary

Test	Date Tested	Result
Cannabinoids	04/04/2026	Complete
Residual Solvents	04/10/2026	Complete
Microbials	04/07/2026	Complete
Mycotoxins	04/11/2026	Complete
Pesticides	04/11/2026	Complete
Heavy Metals	04/14/2026	Complete
Foreign Matter	04/03/2026	Not Detected

Cannabinoids

Complete

23.291 mg/unit

Total THC

0.2318%

Δ^9 -THC

69.636 mg/unit

Total CBD

92.927 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4973	0.746	ND	ND	ND
9R-HHC	0.4973	0.746	ND	ND	ND
(6aR,9S)-d10-THC	0.4973	0.746	ND	ND	ND
9S-HHC	0.4973	0.746	ND	ND	ND
CBC	0.4973	0.746	ND	ND	ND
CBCa	0.4973	0.746	ND	ND	ND
CBD	0.4973	0.746	69.636	6.93173	0.693
CBDa	0.4973	0.746	ND	ND	ND
CBDV	0.4973	0.746	ND	ND	ND
CBDVa	0.4973	0.746	ND	ND	ND
CBG	0.4973	0.746	ND	ND	ND
CBGa	0.4973	0.746	ND	ND	ND
CBN	0.4973	0.746	ND	ND	ND
CBNa	0.4973	0.746	ND	ND	ND
Δ^8 -THC	0.4973	0.746	ND	ND	ND
Δ^9 -THC	0.4973	0.746	23.291	2.31842	0.232
THCa	0.4973	0.746	ND	ND	ND
THCp	0.4973	0.746	ND	ND	ND
THCV	0.4973	0.746	ND	ND	ND
THCVa	0.4973	0.746	ND	ND	ND
Total THC			23.291	2.31842	0.232
Total CBD			69.636	6.93173	0.693
Total			92.927	9.25016	0.925

Date Tested: 04/04/2026

Unit Mass: 10.046 g, 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.

White label COA created from: 2604NBL0619.1627.



Ashley N Phillips

Ashley Phillips
Laboratory Director
05/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



WNC Cherry 3:1

Sample ID: 2605NBL0824.2255

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 04/03/2026

Completed: 04/16/2026

Expires: 04/16/2027

External Lot ID:

Batch#: g26091101

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.094	0.027		ND	Tested	Fludioxonil	0.090	0.027		ND	Tested
Acephate	0.090	0.027		ND	Tested	Hexythiazox	0.090	0.027		ND	Tested
Acequinocyl	0.090	0.027		ND	Tested	Imazalil	0.090	0.027		ND	Tested
Acetamiprid	0.090	0.027		ND	Tested	Imidacloprid	0.090	0.027		ND	Tested
Aldicarb	0.090	0.027		ND	Tested	Kresoxim Methyl	0.090	0.027		ND	Tested
Azoxystrobin	0.090	0.027		ND	Tested	Malathion	0.090	0.027		ND	Tested
Bifenazate	0.090	0.027		ND	Tested	Metalaxyl	0.090	0.027		ND	Tested
Bifenthrin	0.090	0.027		ND	Tested	Methiocarb	0.090	0.027		ND	Tested
Boscalid	0.090	0.027		ND	Tested	Methomyl	0.090	0.027		ND	Tested
Captan	0.629	0.189		ND	Tested	Mevinphos	0.090	0.027		ND	Tested
Carbaryl	0.090	0.027		ND	Tested	Myclobutanil	0.090	0.027		ND	Tested
Carbofuran	0.090	0.027		ND	Tested	Naled	0.225	0.068		ND	Tested
Chlorantraniliprole	0.090	0.027		ND	Tested	Oxamyl	0.090	0.027		ND	Tested
Chlorfenapyr	0.072	0.027		ND	Tested	Paclobutrazol	0.090	0.027		ND	Tested
Chloromequat	0.090	0.027		ND	Tested	Methyl Parathion	0.072	0.027		ND	Tested
Chlorpyrifos	0.090	0.027		ND	Tested	Pentachloronitrobenzene	0.072	0.027		ND	Tested
Clofentezine	0.090	0.027		ND	Tested	Permethrins	0.090	0.027		ND	Tested
Coumaphos	0.090	0.027		ND	Tested	Phosmet	0.090	0.027		ND	Tested
Cyfluthrin	0.450	0.135		ND	Tested	Piperonyl Butoxide	0.090	0.027		ND	Tested
Cypermethrin	0.450	0.135		ND	Tested	Prallethrin	0.090	0.027		ND	Tested
Daminozide	0.899	0.270		ND	Tested	Propiconazole	0.090	0.027		ND	Tested
Diazinon	0.090	0.027		ND	Tested	Propoxur	0.090	0.027		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyrethrins	0.450	0.135		ND	Tested
Dimethoate	0.090	0.027		ND	Tested	Pyridaben	0.090	0.027		ND	Tested
Dimethomorph	0.086	0.027		ND	Tested	Spinetoram	0.090	0.027		ND	Tested
Ethoprophos	0.090	0.027		ND	Tested	Spinosad	0.092	0.027		ND	Tested
Etofenprox	0.090	0.027		ND	Tested	Spiromesifen	0.090	0.027		ND	Tested
Etoxazole	0.090	0.027		ND	Tested	Spirotetramat	0.090	0.027		ND	Tested
Fenhexamid	0.090	0.027		ND	Tested	Spiroxamine	0.090	0.027		ND	Tested
Fenoxycarb	0.090	0.027		ND	Tested	Tebuconazole	0.090	0.027		ND	Tested
Fenpyroximate	0.090	0.027		ND	Tested	Thiacloprid	0.090	0.027		ND	Tested
Fipronil	0.090	0.027		ND	Tested	Thiamethoxam	0.090	0.027		ND	Tested
Flonicamid	0.090	0.027		ND	Tested	Trifloxystrobin	0.090	0.027		ND	Tested

Date Tested: 04/11/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
05/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



WNC Cherry 3:1

Sample ID: 2605NBL0824.2255

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 04/03/2026

Completed: 04/16/2026

Expires: 04/16/2027

External Lot ID:

Batch#: g26091101

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	10	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 04/07/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 04/11/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.239		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 04/14/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley Phillips

Ashley Phillips
Laboratory Director
05/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

WNC Cherry 3:1

Sample ID: 2605NBL0824.2255

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 04/03/2026

Completed: 04/16/2026

Expires: 04/16/2027

External Lot ID:

Batch#: g26091101

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	62.500	208.333		ND	Tested
Benzene	0.250	0.833		ND	Tested
n-Butane	57.500	191.667		ND	Tested
Isobutane	57.500	191.667		ND	Tested
Ethanol	62.500	208.333		236.202	Tested
Ethyl Acetate	62.500	208.333		ND	Tested
Heptane	62.500	208.333		ND	Tested
n-Hexane	1.250	4.167		ND	Tested
2,2-Dimethylbutane	1.250	4.167		ND	Tested
3-Methylpentane	1.250	4.167		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.500	8.333		ND	Tested
Methanol	25.000	83.333		ND	Tested
Isopentane	57.500	191.667		ND	Tested
n-Pentane	25.000	83.333		ND	Tested
Neopentane	57.500	191.667		ND	Tested
2-Propanol	62.500	208.333		ND	Tested
Propane	250.000	833.333		ND	Tested
Toluene	0.125	0.417		ND	Tested
Ethylbenzene	0.125	0.417		ND	Tested
m/p-Xylene	0.125	0.417		ND	Tested
o-Xylene	0.125	0.417		ND	Tested
1,1-Dichloroethene	0.500	1.667		ND	Tested
1,2-Dichloroethane	0.500	1.667		ND	Tested
Ethylene Oxide	1.250	4.167		ND	Tested
Acetonitrile	5.000	16.667		ND	Tested
Chloroform	0.500	1.667		ND	Tested
Ethyl Ether	62.500	208.333		ND	Tested
Dichloromethane	25.000	83.333		ND	Tested
Trichloroethene	5.000	16.667		ND	Tested
2,3-Butanedione	25.000	83.333		ND	Tested

Date Tested: 04/10/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
05/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.